

NORTHLAND

GARAGE DOORS



RESIDENTIAL PRODUCT CATALOGUE



2020 EDITION

NORTHLAND GARAGE DOORS



Your garage door is an integrated system that works to protect your home from the harsh Canadian elements. And since your home is the single largest investment you will make, it's important to have our experts install your garage door safely and correctly.

Here are just some of the reasons you should consider a Northland Garage Door:

IMPROVED CURB APPEAL

Why look like everyone else on the block? Choose from a wide variety of styles and design options to give your home the distinctive, elegant look it deserves.

RETURN ON INVESTMENT

Garage doors were #2 for Return on Investment (ROI) on a list of 35 popular home re-modelling projects. Installing a new garage door is one of the least expensive ways to affect a potential buyer's first impression and, consequently, the resale value of your home.

ENERGY EFFICIENCY

Built to withstand many different weather conditions, our doors have a continuous polyurethane insulated core, arctic-grade bottom seal and dual-seal section joints to help reduce air flow and lower your energy costs.

ALUMINUM STYLEVIEW (PG 5-6)



ARCHITECTURALLY STUNNING

An inspiration in both form and function, Northland StyleView offers architectural flexibility, maximum visibility and extreme durability in maintenance-free aluminum doors. The Custom Profile, Wide Profile and Narrow Profile models feature a series of unprecedented designs, architectural glass options and 188 ArmorBrite™ or 7 anodized colour finishes to showcase a home's unique flair. From modern styles to classic facades, StyleView is the choice for achieving a contemporary look or accentuating the design of any residence.

POLYURETHANE INSULATED DOORS



WEATHER THE ONTARIO CLIMATE.

Built to withstand year-round weather conditions, our doors have a continuous polyurethane insulated core, arctic-grade bottom seal, dual-seal section joints and double-fin perimeter weather-strip to help reduce air flow and lower your energy costs.



BUILT TO LAST.

Door sections are constructed from high-strength, rust resistant galvanized steel coated with a baked-on polyester paint finish, ensuring a durable and long-lasting door.



GREEN COMES STANDARD

Woodgrain embossing simulates real hardwood without depleting our forests. Northland's polyurethane is the densest in the garage door industry."

MODELS AVAILABLE

NORTHLAND R12 OVERLAY 1-3/8" door with carriage house overlays (PG 6-7)


NORTHLAND R18 INLAY 2" door with carriage house inlays (PAGE 8-9)

NORTHLAND R18 XL 2" door with enlarged windows (PG 10-11)

NORTHLAND R12/R18 CONTEMPORARY 2" or 1-3/8" door featuring customizable window configurations (PG 12-13)

NORTHLAND R18 2" door (PG 14-15)

NORTHLAND R12 1-3/8" door (PG 16-17)



ALUMINUM STYLEVIEW



CUSTOM PROFILE

An ideal complement to modern, conventional and rustic styles, the Custom Profile model is a 2" thick rail and stile door with a standard joint seal. Engineered for resilience and exceptional beauty, the Custom Profile model offers a maintenance-free alternative to steel and wood carriage house doors.




WIDE PROFILE

If you are looking for a heavy-duty door that will enhance your home's unique style or timeless architecture, the Wide Profile model is the answer. Designed for both strength and durability, the 2" thick Wide Profile door features rail and stile construction with a standard joint seal.



NARROW PROFILE

Accented with a streamlined design, the Narrow Profile model is a 1-3/4" thick door with a ship lap section joint and standard joint seal. This model is a maintenance-free solution for your garage door needs. In addition, Narrow Profile doors feature architectural variation with multiple glass options for contemporary and traditional styles alike.



StyleView Narrow Profile - Single Car

ANODIZED POWDER COAT OPTIONS:



ARMORBRITE™ COLOUR SYSTEM

Choose from over 187 ArmorBrite™ colours.


GLASS OPTIONS:



LOW-E GLASS

The solution for long-term exposure to high temperatures by allowing full visibility, while providing a barrier from the sun. Low-E glass is only available for StyleView doors with insulated glass.

Glazing options range in a variety of colours and thickness including: 1/8", 3/16", 1/4" and 1/2" insulated.



R12 OVERLAY


1-3/8" POLYURETHANE INSULATED DOOR




PANEL STYLES:




A-BUCK




V-BUCK



X-BUCK



SWING



BI-FOLD

Window Styles Not Pictured: 4 Pane Arched, 4 Over 4 Pane and 4 Over 4 Pane Arched

*10' (3048mm) or wider doors use a 4-pane. All other sizes are 3 pane.

WINDOW OPTIONS:



ONE PANE



ONE PANE ARCHED



THREE PANE



THREE OVER THREE PANE



THREE OVER THREE PANE ARCHED




COLOUROPTIONS:



OVERVIEW:

- Energy Efficient Polyurethane Insulation.
- Sealing system featuring a Section Joint, Dual Fin Triple Contact Seal and Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 9 colours to choose from.
- 2 overlay colours to choose from.
- 5 panel styles to chose from.



OVERLAY BOARDS



Doors can be customized with more than 1,500 Sherwin-Williams colour options.


R-VALUE: R12 DOOR THICKNESS: 1-3/8"
SECTION HEIGHTS: 18" / 21" / 24" (6'- 6" to 14' in 3" Increment)
MAX DOOR SIZE: 16' x 10' (9' and higher restrictions may apply)

R18 INLAY

2" POLYURETHANE INSULATED DOOR




PANEL STYLES:




A-BUCK




X-BUCK



V-BUCK



SWING




BI-FOLD

Note: Panel styles are available without windows.


Decorative Hardware does not come standard.

WINDOW OPTIONS:


WROUGHT IRON




4-OVER-4 PANE



4 PANE



CLEAR



Note: Available in Clear, Obscure Pinhead and Satin Insulated Glass.



COLOUR OPTIONS:



OVERVIEW:

- Large top window section and recessed smooth designs to add sheer elegance to your home.
- Energy Efficient Polyurethane Insulation.
- Sealing system featuring a Section Joint, Dual Fin Triple Contact Seal and Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 5 panel styles to choose from.
- 9 standard colours to choose from.


 Doors can be customized with more than 1,500 Sherwin-Williams colour options.



R-VALUE: R18 DOOR THICKNESS: 2"
SECTION HEIGHTS: 18" / 21" / 24" MAX DOOR SIZE: 18' x 12'

R18 XL 2" POLYURETHANE INSULATED DOOR




PANEL STYLES:



RAISED RANCH



RAISED COLONIAL




FLUSH



PLANK



RECESSED GROOVED COLONIAL



RECESSED GROOVED RANCH




RECESSED SMOOTH RANCH




WINDEMERE

WINDOW OPTIONS:


WROUGHT IRON



4-OVER-4 PANE



4 PANE



CLEAR



Note: Available in Clear, Obscure Pinhead and Satin Insulated Glass.



COLOUR OPTIONS:



WOODLOOK OPTIONS:



NOTE: Some restrictions apply to woodlook colour and panel availability. See dealer for details.

OVERVIEW:

- Enlarged 24" top section with luxurious windows.
- Energy Efficient Polyurethane Insulation.
- Sealing system featuring a Section Joint, Dual Fin Triple Contact Seal and Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 8 panel styles to choose from.
- 9 standard colours to choose from.
- 4 woodlook colour options.




Doors can be customized with more than 1,500 Sherwin-Williams colour options.

R-VALUE: R18 DOOR THICKNESS: 2"
SECTION HEIGHTS: 18" / 21" / 24" MAX DOOR SIZE: 18' x 10'

R18 CONTEMPORARY

2" POLYURETHANE INSULATED DOOR

R12 CONTEMPORARY

1-3/8" POLYURETHANE INSULATED DOOR



Customize your garage door look with your own personal style, with the ability to place windows in any location on your door. Create a contemporary look and get creative in your window placement for a one-of-a-kind look.

PANEL STYLES:




FLUSH



PLANK

WINDOW OPTIONS:



Aluminium



Colonial




Ranch

Aluminium window options not available for the R12 Contemporary.


POPULAR WINDOW CONFIGURATIONS

The Contemporary Collection is available in many different window configurations. Talk to your Northland dealer to discuss. Multiple window configurations available.


COLONIAL



Single Vertical Left
(1 x 4)




Double Vertical Left
(2 x 4)




Double Off-Set Down


RANCH



Single Vertical Left




Single Vertical Stack Left




Single Step Up Left


ALUMINIUM



Single Vertical Right



Double Vertical Right



Two Vertical Stack Right



COLOUR OPTIONS:



WOODLOOK OPTIONS:




NOTE: Some restrictions apply to woodlook colour and panel availability. See dealer for details.

OVERVIEW:

- Customizable Window Placement.
- Energy Efficient Polyurethane Insulation.
- Sealing system featuring a Section Joint, Dual Fin Triple Contact Seal and Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 2 panel styles to choose from.
- 9 standard colours to choose from.
- 2 woodlook colour options.



Doors can be customized with more than 1,500 Sherwin-Williams colour options.



R-VALUE: R12/18 DOOR THICKNESS: 2"/1-3/8"
SECTION HEIGHTS: 18" / 21" / 24" (6'- 6" to 12' in 3" Increment)
MAX DOOR SIZE: R18 - 18' x 10', R12 - 16' x 10'

R18 2" POLYURETHANE
INSULATED DOOR



PANEL STYLES:



RAISED RANCH



RAISED COLONIAL




FLUSH



PLANK



MIXED PANEL



**RECESSED
GROOVED COLONIAL**



**RECESSED
GROOVED RANCH**




**RECESSED
SMOOTH RANCH**



WINDEMERE

Popular Mixed Panel Options





COLOUROPTIONS:



WOODLOOKOPTIONS:



NOTE: Some restrictions apply to woodlook colour and panel availability. See dealer for details.

OVERVIEW:

- Energy Efficient Polyurethane Insulation.
- Sealing system featuring a Section Joint, Dual Fin Triple Contact Seal and Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 9 panel styles to choose from.
- 9 standard colours to choose from.
- 4 woodlook colour options.

Doors can be customized with more than 1,500 Sherwin-Williams colour options.



R-VALUE: R18 DOOR THICKNESS: 2"
SECTION HEIGHTS: 18" / 21" / 24" (6'- 6" to 12' in 3" Increment)
MAX DOOR SIZE: 20' x 14'

R12 1-3/8" POLYURETHANE
INSULATED DOOR



PANELSTYLES:



RAISED RANCH



RAISED COLONIAL




FLUSH



PLANK



**RECESSED
GROOVED COLONIAL**



**RECESSED
GROOVED RANCH**



**RECESSED
SMOOTH RANCH**



WINDEMERE



COLOUR OPTIONS:



WOODLOOK OPTIONS:




NOTE: Some restrictions apply to woodlook colour and panel availability. See dealer for details.

OVERVIEW:

- Energy Efficient Polyurethane Insulation.
- Sealing system featuring a Section Joint, Dual Fin Triple Contact Seal and Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 8 panel styles to choose from.
- 9 standard colours to choose from.
- 4 woodlook colour options.

Doors can be customized with more than 1,500 Sherwin-Williams colour options.



R-VALUE: R12 DOOR THICKNESS: 1-3/8"
SECTION HEIGHTS: 18" / 21" / 24" (6'- 6" to 14' in 3" Increment)
MAX DOOR SIZE: 20' x 14'

R12 & R18 STANDARD WINDOWS

CLEAR



SHERWOOD



PRAIRIE



PRAIRIE RANCH



WATERTON



CASCADE



STOCKBRIDGE RANCH



STOCKTON



ARCHED STOCKTON RANCH



CLEAR RANCH



SUNBURST RANCH



CATHEDRAL



WATERTON RANCH



CASCADE RANCH



ARCHED STOCKBRIDGE RANCH



STOCKTON RANCH



SUNBURST 4



SUNBURST 5



SUNBURST 6



SUNBURST 7



SUNBURST 8



SUNBURST 9



SUNRAY (4 PANEL)



BRECKENRIDGE



BERKSHIRE



*Available in single glass (clear and obscure pinhead) or double glass. (clear and obscure pinhead & satin)

R12 & R18 DELUXE WINDOWS

ROUNDBAR: 3/8" (10 mm) round bars available in pewter. Standard with clear double glass; obscure pinhead and satin glass optional.



STOCKTON 4



STOCKTON 6



STOCKTON 10



PRAIRIE



PRAIRIE RANCH

SQUAREBAR: 3/8" (10 mm) square bars available in black. Standard with clear double glass; obscure pinhead and satin glass optional.




STOCKTON 4



STOCKTON 6



STOCKTON 10



PRAIRIE



PRAIRIE RANCH

ALUMINUMGRID: 5/8" (16 mm) grids available in **sandstone, desert tan, almond, bronze, brown, café, slate grey, white** and **black**. Standard with clear double glass; obscure pinhead and satin glass is optional.



STOCKTON 4



STOCKTON 6



STOCKTON 10



PRAIRIE



PRAIRIE RANCH


FRAME COLOURS:




GLASS OPTIONS:



CLEAR



OBSCURE



SATIN

NORTHLAND

GARAGE DOORS



**For additional information and friendly advice
please contact your local Northland dealer**

Professionally installed and serviced by:

**10932 Longwoods Road, Delaware, ON
519-652-8312 | 1-800-263-7010
info@stewartdoor.com**

